

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L3	1341	68/12.21,12.26,26,75.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/06/20 12:02
L2	856	8/159	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/06/20 12:02
L1	1329	8/158	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/06/20 12:02
S92	229	S90 not S87	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/06/19 12:49
S91	12	S89 not S87	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/06/19 12:49
S90	269	S88 and "68".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/06/19 12:48
S89	68	S88 and "8".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/06/19 12:43
S88	9177	(door or cover or lid) near3 (lock\$3 or fasten\$3 or securement or securement or securing or fastener) and reference and (alarm or signal or alert or monitor or indicat\$3 or detect\$3) and (amount or height or level) with (water or liquid or fluid or solution)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/06/19 12:42
S87	56	S77 and "8".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/06/19 12:41
S86	218	S77 and "68".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/06/19 12:40

S85	3	S82 and (door or cover or lid) with lock\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/06/19 12:35
S84	3	S81 and (door or cover or lid) with lock\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/06/19 12:35
S83	3	S80 and (door or cover or lid) with lock\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/06/19 12:35
S82	47	je adj sang.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/06/19 12:33
S81	72	kang adj yu.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/06/19 12:33
S80	35	kim adj gon.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/06/19 12:33
S79	1494	(water or liquid or fluid) with (height or level) with (sens\$3 or measure\$3) same (open\$3 or openable or clos\$3 or closable) with (door or lid or cover)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/06/19 12:33
S78	11	("20050223506" "5802884" "6582276" "6626013" "7111478").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/06/19 12:32
S77	7760	(door or cover) near3 (lock\$3 or fasten\$3 or securement or securement or securing or fastener) and reference and (alarm or signal or alert or monitor or indicat\$3 or detect \$3) and (amount or height or level) with (water or liquid or fluid or solution)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/06/19 12:32
S76	165	S73 and reference	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/06/19 12:22
S75	14	S73 and reference near5 level	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/06/19 12:21

S74	3	S73 and reference adj level	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/06/19 12:21
S73	180	S72 and (lock\$3 or clos\$3 or open) with (lid or cover or door)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/06/19 12:19
S72	415	S71 and (horiztonal or side or side\$load\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/06/19 12:19
S71	568	S66 and "68".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/06/19 12:19
S70	226	S69 and (lock\$3 or clos\$3 or open) with (lid or cover or door)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/06/19 12:18
S69	568	S68 and (laundry or cloth\$3 or wash\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/06/19 12:15
S68	831	S67 and (horiztonal or side or side\$load\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/06/19 11:59
S67	1050	S66 and "134".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/06/19 11:59
S66	66861	(fluid or water or liquid) same (height or sens\$3).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/06/19 11:59
S65	44	134/194	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/06/19 11:57
S64	39	134/192	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/06/19 11:57
S63	1329	8/158	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/06/19 11:56

6/ 20/ 2008 12:02:51 PM

C:\Documents and Settings\rpatel2\My Documents\EAST\Workspaces\10720393--3.wsp